



COLLARD & ROE, P.C.  
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS

1077 Northern Boulevard  
Roslyn, New York 11576  
(516) 365-9802  
FAX (516) 365-9805

RECEIVED  
CENTRAL FAX CENTER

JUN 02 2005

FACSIMILE TRANSMISSION

DATE:

*June 2, 2005*  
~~May 27, 2005~~

NO. OF PAGES INCLUDING COVER PAGE: 10

TO:

Examiner D. Isabellai  
Group: 3738

FAX NO.:

(703) 872-9306

FROM:

William C. Collard  
Reg. No. 38,411

RE:

U.S. Serial No. 10/683,754  
Applicant: SCHNEIDER-NIESKINS  
(Our Reference: SCHNEIDER-NIESKINS - 3)

If you do not receive all of the pages, please call the above phone number as soon as possible.

---

MESSAGE:

Enclosed is an Amendment in response of the First Office Action, along with a petition for a one month extension of time. Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,  
COLLARD & ROE, P.C.

*William C. Collard*  
William C. Collard  
Reg. No. 38,411

WCC:ea  
Enclosures

*This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.*

**JUN 02 2005**

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: SCHNEIDER-NIESKINS

SERIAL NO: 10/683,754

EXAMINER: D. Isabella

FILED: October 10, 2003

GROUP: 3738

TITLE: BREAST PROSTHESIS HAVING AN ADHESIVE LAYER

AMENDMENT IN RESPONSE TO FIRST OFFICE ACTION

MAIL STOP AMENDMENT

Honorable Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

In response to the First Office Action dated February 09, 2005 with the due date for response being May 09, 2005. Please amend the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.